

A few new API calls have been added in release version: 1.4.03.

The “Test OAuth” section has been updated with a Goolge Playground example.

Go to Tools, API, API Guide or your_datatill_domain/api to see your API guide with all API calls.

API calls added:

- **Customers section**
 - Add a new customer
- **Data Accounts section**
 - Add a new data account
 - Get completed topup details
- **Hotspot Vouchers section**
 - Get available hotspot list
 - Add a new hotspot voucher
 - Get hotspot voucher usage
 - Expire a hotspot voucher
- **Prepaid Data Accounts section**
 - Get available prepaid products
 - Submit prepaid data allocation
- **Sales Leads section**
 - Add a sales lead
 - Get a list of sales leads
- **Products section**
 - Get available data products
 - Get available non data products
 - Add a data product
 - Add a non data product
 - Get Available Product Groups
 - Get Available Product Types
 - Get Available FUP Speed Limit Policies
 - Get Available FUP Speed Boost Policies

DataTill API Spec v1.0.4

Configuration
Customers
Data Accounts
Hotspot Vouchers
Get Available Hotspot List
Add a new Hotspot Voucher
Get Hotspot Voucher Usage
Expire a Hotspot Voucher
Prepaid Data Accounts
Helpdesk Tickets
Sales Leads
Products

/add_hotspot_voucher - Add a new hotspot voucher

Description	Add a new Hotspot Voucher									
URL	https://[redacted]/api/v1/add_hotspot_voucher									
Method	GET, POST (Note: POST is much more secure and does not potentially expose parameters)									
Parameters	<table><tr><td>access_token</td><td>valid OAuth 2 access token *</td><td>Mandatory</td></tr><tr><td>product_id</td><td>The ID or product_code of the hotspot product to use for this voucher</td><td>Mandatory</td></tr><tr><td>voucher_comment</td><td>Optional comment to add to the voucher</td><td></td></tr></table> <p>* The access token can be supplied as a url parameter or as an authorization header with bearer prefix. ** Accounting permissions are required when non standard product pricing are submitted.</p>	access_token	valid OAuth 2 access token *	Mandatory	product_id	The ID or product_code of the hotspot product to use for this voucher	Mandatory	voucher_comment	Optional comment to add to the voucher	
access_token	valid OAuth 2 access token *	Mandatory								
product_id	The ID or product_code of the hotspot product to use for this voucher	Mandatory								
voucher_comment	Optional comment to add to the voucher									
Notes	The user associated with the access token will need to have permission to access and update the relevant radius t If the user does not have the required permissions then an error will be returned. Once the update has been submitted it will be reviewed by the WISP staff before the update will reflect in the datab									
Examples	// Example - Add a new hotspot voucher <pre>curl -X POST \ https://[redacted]/api/v1/add_hotspot_voucher \ -H 'Authorization: Bearer CF66801B-9B5C-44A9-B336-B3B91CDF095F' \ \</pre>									

Additional improvements to the API guide:

- Test OAuth section now has a clear example on how to test
- API error messages: [Guide](#)
- Existing OAuth Tokens

Existing OAuth Tokens:

An easier way to get and add new access tokens has been added to the API guide at the “Configuration” section.

Go to the API guide, Configuration, Existing OAuth Tokens

Here you can see all clients and access tokens linked to the current logged in admin user.

This access token(s) can then be used to authenticate all API calls.

DataTill API Spec v1.0.4

Configuration
Getting Authenticated
Existing OAuth Tokens
Test OAuth
Get Config Settings
Get OAuth user details
Generate One Time SSO Token
Call URL with SSO Token
Customers
Data Accounts
Helpdesk Tickets
Hotspots & Prepaid
Sales Leads
Products

Existing OAuth Tokens (linked to user d:support)

OAuth2 Clients			+ Add Client ID
Client ID	Redirect URL	Secret	
47180796	https://		🔗 ✖

OAuth2 Access Tokens			+ Add New Access Token
Client ID	Access Token	Expiry Date	
47180796	sfr...	2018-12-20	🔗 ✖